



OPTION 2: NON ROOFTOP DISCONNECT DESIGN



PLAN VIEW



CROSS SECTION A-A

NOT TO SCALE

NOTES / CONDITIONS:

1. NON-ROOFTOP DISCONNECTION (GRASS) WIDTH IS BASED UPON A 1:1 RATIO. (I.E. WIDTH OF GRASS SHALL BE EQUAL TO WIDTH OF PATIO)
2. ** LOCATION OF NON-ROOFTOP DISCONNECTION (GRASS) IS BASED ON THE DIRECTION OF THE PATIO SLOPE.
3. NON-ROOFTOP DISCONNECTION (GRASS) SHALL BE LOCATED ON A MINIMUM SLOPE OF 2% AND NOT GREATER THAN 5%.
4. DO NOT ALTER OR INTERFERE OR BUILD ANYTHING WITHIN NON-ROOFTOP DISCONNECTION (GRASS) AREA.
5. MINIMUM SLOPE ON PATIO SHALL BE 2%.
6. IMPERVIOUS SURFACES (I.E. CONCRETE PADS) ARE NOT ALLOWED IN NON-ROOFTOP DISCONNECTION (GRASS) AREA.

CHARLES COUNTY GOVERNMENT

DEPARTMENT OF PLANNING & GROWTH MANAGEMENT

APPROVED:

[Signature] 11/15/2022
 CHIEF OF INFRASTRUCTURE MANAGEMENT DATE

[Signature]
 STORMWATER ENGINEER

11/14/2022
 DATE

STANDARD DETAIL

PATIO
 (OPTION 2)

STORMWATER
 MANAGMENT
 DESIGN

REVISIONS:

SWM
 2.02