

NOTES:


1. NOTES (1) THROUGH (7) ON DETAIL S1.00 APPLY TO THIS DETAIL.

2. MAXIMUM SIZE PIPE TO BE USED WITH 60" DIAMETER MANHOLE IS 36".

3. FIRST STEP NOT TO EXCEED 24" FROM TOP OF MANHOLE.

4. IF THE REQUIRED MAXIMUM DEPTH EXCEEDS 20'-0", ALL SECTIONS OF THE MANHOLE SHALL REMAIN THE SAME ALL THE WAY TO THE TOP.

5. THE TRANSITION RISER NEEDS TO BE MAXIMUM 10' FROM FINISH GRADE OF THE FRAME & COVER.



CHARLES COUNTY GOVERNMENT

DEPARTMENT OF PLANNING & GROWTH MANAGEMENT

APPROVED: Raymond N. Shumaker, Jr. Aug 8, 2023
Raymond N. Shumaker, Jr. (Aug 8, 2023 12:00 EDT)
 CHIEF OF CODES, PERMITS, & INSPECTION SERVICES DATE

A.L.B. Aug 8, 2023
Architect (Aug 8, 2013 16:40 EDT)
 PROFESSIONAL ENGINEER DATE

STANDARD DETAIL

PRECAST CONCRETE
 MANHOLE DETAIL,
 60" DIAMETER

S
1.01
REVISIONS:
DECEMBER 2022