


NOTES:

1. (A) S.H.C. TO 4" SEWER MAIN USE TEE OR SADDLE.
 (B) S.H.C. TO 6" THRU 12" SEWER MAIN USE SADDLE.
 (C) S.H.C. TO 15" & LARGER SEWER MAIN USE THIMBLE AND EPOXY TO MAIN LINE.
2. S.H.C. TO 4" THRU 15" PVC SEWER MAIN USE SADDLE.
3. S.H.C. TO PROPOSED SEWER MAINS, USE TEES, SEE DETAIL S/4.01.
4. S.H.C. AT PROPERTY LINE SHALL TERMINATE WITH MINIMUM PIPE LENGTH OF 5'-0".
5. THIS DETAIL IS NOT APPLICABLE FOR A SHORTER LENGTH THAN 5'-0" AT THE PROPERTY LINE.
6. REFER TO DETAIL S/4.05 FOR LOCATION OF PUBLIC/ PRIVATE SIDE OF SEWER HOUSE CONNECTION.



CHARLES COUNTY GOVERNMENT

DEPARTMENT OF PLANNING & GROWTH MANAGEMENT

APPROVED Raymond N. Shumaker, Jr. Aug 8, 2023
Raymond N. Shumaker, Jr. (Aug 8, 2023 12:00 EDT)
 CHIEF OF CODES, PERMITS, & INSPECTION SERVICES DATE

Al B. Aug 8, 2023
Andy B. (Aug 8, 2023 14:49 EDT)
 PROFESSIONAL ENGINEER DATE

STANDARD DETAIL

TYPE "A" 6" DROP HOUSE CONNECTION TO SEWER MAIN

S
4.00
REVISIONS:
DECEMBER 2022