


PROFILE
NOT TO SCALE



PLAN VIEW
NOT TO SCALE

NOTES:

1. THE DIMENSIONS SHOWN HERE ARE TYPICAL AND MAY BE MODIFIED IN SPECIFIC SITUATIONS BY THE DEPARTMENT OF PLANNING AND GROWTH MANAGEMENT.
2. TREES ARE TO BE LOCATED WITH THE FOLLOWING MINIMUM CLEARANCES.
 - A. 5' FROM WATER METER OR CURB BOX.
 - B. 5' FROM GAS BOX.
 - C. 5' FROM INLET OR MANHOLE.
 - D. 10' FROM FIRE HYDRANT.
 - E. 15' FROM STREET LIGHT.
 - F. 1' INSIDE RIGHT-OF-WAY LINE WHERE CURB AND GUTTER; 11' OUTSIDE RIGHT-OF-WAY WHERE NO CURB.
3. MINOR TREE SPACING 30' ON CENTER MINIMUM.
4. MAJOR TREE SPACING 50' ON CENTER MINIMUM.
5. SHADE TREES TO BE 1 1/2" MINIMUM CALIPER AND 10' MINIMUM HEIGHT.
6. FLOWERING TREES TO BE 3/4" MINIMUM CALIPER AND 6' MINIMUM HEIGHT.
7. SPECIES TO BE AS APPROVED BY CHARLES COUNTY DEPARTMENT OF PLANNING AND GROWTH MANAGEMENT.
8. SEE DETAILS NO. R/2.42 AND R/2.43 FOR PLANTING DETAILS.
9. NO TREE IS PERMITTED IF GREEN SPACE IS LESS THAN 6'. THIS DISTANCE IS MEASURED BETWEEN THE FLOW LINE OF CURB AND GUTTER AND NEAR EDGE OF SIDEWALK.

CHARLES COUNTY GOVERNMENT

DEPARTMENT OF PLANNING & GROWTH MANAGEMENT

APPROVED:

[Signature] 11/19/99
 CHIEF OF DEVELOPMENT & CAPITAL SERVICES DATE
[Signature] 11/19/99
 HIGHWAY ENGINEER DATE

STANDARD DETAIL
 TREE LOCATION DETAIL

REVISIONS:

R
 2.45